


S



1

4.

* 6

-

	N=646	100mg N=833	300mg N=834
2	3.8%	5.9%	4.4%
3	0.7%	5.1%	4.6%
5	0.1%	2.8%	2.4%
	0.9%	1.8%	2.4%
	1.6%	2.1%	2.3%
	N=312	N=425	N=430
1	2.8%	10.6%	11.6%
	0.0%	1.6%	3.2%
	N=334	N=408	N=404
4	0.7%	4.2%	3.8%

□

□

□

□

□

□

□

2 CANVAS

	N=1441	100mg N=1445	300mg N=1441	N=2886
n %	22 (1.5)	50 (3.5)	45 (3.1)	95 (3.3)
	33	83	79	162
1000	2.8	6.2	5.5	5.9
95% CI	--	2.24 (1.36, 3.69)	2.01 (1.20, 3.34)	2.12 (1.34, 3.38)

2

1

1

3 CANVAS-R

	N=2903	100mg 300mg N=2904
n %	25 (0.9)	45 (1.5)
	36	59
1000	4.2	7.5
95% CI	--	1.80 (1.10, 2.93)

<input type="checkbox"/>			
	<input type="checkbox"/>		

□	□	□	□
	□		□
□	□	□	□
□ □	□	□	□
	□		□
□	□	□	□
□ □	□	□	□
□	□	□	□
	□		□
□	□	□	□
□ □	□	□	
	□		□
□	□		□
□ □	□		□
	□		□
□	□	□	□
□	□	□	□
□ □	□	□	□

□

□

□

□

□

□

□

□

□

30mL/min/1.73m²

2*2)

-

UGT2B4

UGT

100mg

<60mL/min/1.73m²

UGT

UGT

AUC 51%

300mg

eGFR >60mL/min/1.73m²

eGFR 45

UGT1A9

	+	100mg+	300mg+
	(N=183)	N=368	N=367
HbA1c(%)			
	7.96	7.94	7.95
	-0.17	-0.79	-0.94
(95% CI) ⁽²⁾		-0.62 ⁽³⁾ -0.76 - 0.48	-0.77 ⁽³⁾ -0.91 -0.64

	+	100mg+	300mg+
	(N=183)	N=368	N=367
HbA_{1c}<7%	30	46 ⁽³⁾	58 ⁽³⁾
(mg/dL)			
	164	169	173
	2	-27	-38
(95%CI) ⁽²⁾		-30 ⁽³⁾	-40 ⁽³⁾
		-36 -24	-46 -34
2 (mg/dL)			
	249	258	262
	-10	-48	-57
(95%CI) ⁽²⁾		-38 ⁽³⁾	-47 ⁽³⁾
		-49 -27	-58 -36
kg			
	86.7	88.7	85.4
	-1.2	-3.7	-4.2
(95%CI) ⁽²⁾		-2.5 ⁽³⁾	-2.9 ⁽³⁾
		-3.1 -1.9	-3.5 -2.3

-
-
-

		S M	S M
--	--	------------	------------

	4	4	4
. H)			
□ □		□	□
. H)"		□	□
S M 2			
□ □		□ □	□
□ □		□	□

-
-
-

□

□

2

□

□

8 CANVAS CANVAS-R MACE
*

	N=4347 %	N=5795 %	95% C.I.)
	426 (10.4)	585 (9.2)	0.86 (0.75, 0.97)
	159 (3.9)	215 (3.4)	0.85 (0.69, 1.05)
	116 (2.8)	158 (2.5)	0.90 (0.71, 1.15)
	185 (4.6)	268 (4.1)	0.87 (0.72, 1.06)

*

P =0.0158

CMH

Cox

1

MACE

5.

10 CREDENCE

	N=2199 %	*	N=2202 %	*	HR 95% CI
ESKD	340 (15.5)	6.1	245 (11.1)	4.3	0.70 (0.59, 0.82)
ESKD	165 (7.5)	2.9	116 (5.3)	2.0	0.68 (0.54, 0.86)
	188 (8.5)	3.4	118 (5.4)	2.1	0.60 (0.48, 0.76)
	5 (0.2)	0.1	2 (0.1)	0.0	
	140 (6.4)	2.4	110 (5.0)	1.9	0.78 (0.61, 1.00)
	253 (11.5)	4.5	179 (8.1)	3.1	0.69 (0.57, 0.83)
	269 (12.2)	4.9	217 (9.9)	3.9	0.80 (0.67, 0.95)
	87 (4.0)	1.6	71 (3.2)	1.3	0.81 (0.59, 1.10)
	66 (3.0)	1.2	53 (2.4)	0.9	0.80 (0.56, 1.15)
	141 (6.4)	2.5	89 (4.0)	1.6	0.61 (0.47, 0.80)
ESKD	224 (10.2)	4.0	153 (6.9)	2.7	0.66 (0.53, 0.81)

* /100 -

Cox
 m² 45 <60 mL/min/1.73 m² 60 <90 mL/min/1.73 m²
 95% CI p

eGFR 30 <45 mL/min/1.73

HR

P <0.0001

P 0.001

P <0.02


Kaplan-Meier

2

ESKD

52

2 CREDENCE



) 8 + * + 4) +

	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
	□		□		□
1.					
2.	1000	-			

o

o

o

□

) /) ^{SG} /

-
-

) /) ^{SG} /
			□	

))/) sg)/
			☐		
			☐		

- ☐
- ☐
- ☐

□